


PART NO: ACF Series

M12-A Female Front Mount PG9 Receptacle



Technical Data

Mechanical

Receptacle Style	M12, Female	
Applicable Specification	IEC 61076-2-101	
Receptacle Threads	Internal	
Housing	Nickel Plated Brass, Leads Epoxy Potted	
Insert	Polyurethane	
Contact	Copper Alloy, Gold Plated	
Mounting Orientation	Front	
Panel Nut	Nickel Plated Brass	
O-Ring	FKM	
Electrical		
Contact Resistance	≤ 5 mΩ	
Nom. Current @ 40°C	4 A	
Rated Voltage	4 Pole 250 V (IEC) 300V (UL)	
	5 Pole 60 V (IEC) 30V (UL)	
UL File	E485156	
Lead Wires		
AWG	22 AWG (7/30) Tinned Copper	
Insulation	PVC	
Outside Diameter	0.062" Nominal	
Lead Length	0.5 Meters (19.7")	
UL Style	AWM 1007 & 1569	
CSA Style	TR64	



PART NO: ACF Series

M12-A Female Front Mount PG9 Receptacle

Environmental			
Degree of Protection	IP 67/ NEMA 6P	IP 67/ NEMA 6P	
Operating Temperature	-25C (-13F)/ +90	-25C (-13F)/ +90C (+194F)	
Range			
CE	All materials use	ed in the manufacture of	
	this part meet t	he requirements of	
	European Direct	tive 2011/65/EU regarding	
		of use of certain hazardous	
	substances in el	ectrical and electronic	
	equipment. Exe	mption used; 6a.	
REACH Regulation (EC	•	This product does not contain Substances	
1907/2006)	, -	ncern (SVHC) listed on the	
	•	n's REACH candidate list in	
	excess of 0.1% r	mass of the item.	
Ordering Information	Description	Quantity	
301ACF NC404	4 Pin	Each	
304ACF NC404	5 Pin	Each	

Although Alpha Wire ("Alpha") makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described herein are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability. Alpha provides the information and specification herein on an "AS IS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Alpha be liable any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Alpha has been advised of the possibility of such damages, whether in an action under contact, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specification described herein.